



# Apps that humans and robots love: optimize your websites for AI agents

# Hey. I'm G/

Love to tinker with stuff.  
Code, cameras, watches.

Love buying domain names for unfinished side  
projects.

Started PHP in 98.  
Started using SF1 in 2003.  
Started using “Ibexa” in 2010.

“Vibe coder” since 2023. Or not.



# The Silent Revolution


# Last month, an AI agent...

Booked a restaurant

Compared insurance quotes


Filed a support ticket...

*all by browsing websites.*





Was your site one of them?




“ 51% of internet traffic is now automated ”

- Imperva Bad Bot Report 2025

# +1,300%


AI traffic to retail sites (year-over-year growth)

# The new intermediary



# Meet Your New Users


AI Agents Explained




# Types of AI agents browsing the web

1. **Conversational AI with browsing**: ChatGPT, Claude, Gemini  
Find me a hotel in Paris for next weekend
2. **Research & discovery engines**: Perplexity, You.com, Phind  
Synthesize information from multiple sources
3. **Automation agents**: Browser-use tools, Enterprise RPA  
Complete multi-step tasks autonomously
4. **Specialized crawlers**: AI-powered SEO tools, content aggregators  
Index and analyze at scale

# How agents "see" your website



# How agents "see" your website



# What agents extract

Layer	What They Read
Text	Headings, paragraphs, lists
Structure	DOM hierarchy, semantic elements
Metadata	Schema.org, Open Graph, meta tags
APIs	REST endpoints, GraphQL
Visual	Screenshots (emerging)

# Where they struggle

Layer	The issue
JavaScript-heavy SPAs	No server-side rendering = invisible content
Content behind auth walls	Agents can't log in (usually)
Div soup	No semantic structure = no understanding
Ambiguous navigation	"Click here" tells them nothing
Missing or conflicting metadata	Schema.org says €99, page says €149



# *The Beautiful Convergence*

Optimizing for AI agents is not another separate task.  
It's an acceleration of best practices you should already be doing.

# Accessibility helps agents

A11y Practice	Agent Benefit
Semantic HTML	Structure understanding
ARIA labels	Element purpose
Alt text	Image comprehension
Clear navigation	Path discovery

# SEO helps agents

SEO Practice	Agent Benefit
Structured data	Machine-readable content
Meta descriptions	Quick summaries
Heading hierarchy	Content organization
Performance	Fast responses

# Why Ibexa partners have an advantage

Structured content modeling already separates content from presentation

Content types with defined fields = machine-understandable content

Headless/hybrid approaches enable multiple output formats

# Why Ibexa partners have an advantage

- ❶ Structured content modeling already separates content from presentation
- ❷ Content types with defined fields = machine-understandable content
- ❸ Headless/hybrid approaches enable multiple output formats

# Web Optimization for AI Agents

From easiest to most advanced



# The complexity ladder

Level	Technique	Effort
★	Content clarity	No code
★★	Semantic HTML	Templates
★★★	Schema.org	Integration
★★★★★	llms.txt	New standard

# ★ Content Clarity

No code changes required



# Content Clarity

No code changes required



# Content clarity checklist

Before touching any code, improve your content.

Clear writing for humans is clear data for agents.

- Clear, unambiguous language
- Summaries at the top of long pages
- Explicit definitions for jargon
- FAQ sections
- Consistent terminology



*"Our revolutionary solution leverages cutting-edge technology..."*



*"This software automates invoice processing. It costs €99/month and integrates with SAP, Oracle, and QuickBooks."*

# Content clarity checklist

Before touching any code, improve your content.

Clear writing for humans is clear data for agents.

- 💡 Clear, unambiguous language
- 💡 Summaries at the top of long pages
- 💡 Explicit definitions for jargon
- 💡 FAQ sections
- 💡 Consistent terminology



*"Our revolutionary solution leverages cutting-edge technology..."*



*"This software automates invoice processing. It costs €99/month and integrates with SAP, Oracle, and QuickBooks."*



# ★★ Semantic HTML + a11y

Template changes only



# Semantic HTML + a11y

Template changes only



*Everything that helps screen readers  
helps AI agents.*

WCAG compliance = agent-friendly

If your HTML is a mess of <div>s, agents struggle to understand page structure.


# Semantic elements matter

```
<!-- Bad: Div soup -->
<div class="product-box">
  <div class="title">Widget Pro</div>
  <div class="btn" onclick="buy()">Click here</div>
</div>

<!-- Good: Semantic structure -->
<article itemscope itemtype="https://schema.org/Product">
  <h2 itemprop="name">Widget Pro</h2>
  <button aria-label="Add Widget Pro to cart">
    Add to Cart
  </button>
</article>
```



The Rosetta Stone





**Schema.org**

The Rosetta Stone



# JSON-LD example

```
{  
  "@context": "https://schema.org",  
  "@type": "Product",  
  "name": "Widget Pro",  
  "offers": {  
    "@type": "Offer",  
    "price": "99.99",  
    "priceCurrency": "EUR",  
    "availability": "https://schema.org/InStock"  
  }  
}
```

# JSON-LD example


```
{  
  "@context": "https://schema.org",  
  "@type": "Product",  
  "name": "Widget Pro",  
  "offers": {  
    "@type": "Offer",  
    "price": "99.99",  
    "priceCurrency": "EUR",  
    "availability": "https://schema.org/InStock"  
  }  
}
```

# Priority order

- ❸ Organization – who you are
- ❸ Product/Service – what you sell
- ❸ BreadcrumbList – site structure
- ❸ FAQPage – common questions
- ❸ Article – for content sites




The emerging standard





The emerging standard



# Example llms.txt

*llms.txt tells AI agents **HOW** to understand and use your site (not what to block)*

```
# Company: Acme Corp
# Purpose: E-commerce for industrial widgets

## Key Pages
- /products - Browse all products
- /api/docs - REST API documentation

## Content Freshness
- Product prices updated daily at 6:00 UTC
- Inventory levels are real-time
```

# Why adopt now?

- ⌚ Minimal investment – one text file
- ⌚ Early adoption – signals forward-thinking
- ⌚ Future-proof – the practice will persist even if format evolves

# API Design for AI Agents

The technical deep-dive



# The context poverty problem

Traditional REST APIs were designed for human developers reading documentation.

AI agents need to discover, understand, and use your APIs autonomously.

Agent must call:

```
GET /customerProfile  
GET /accountStatus  
GET /paymentHistory  
GET /offerEligibilityRules
```

Then synthesize into a single decision

# The consequences

- ⌚ Context bloat increases 3-5x
- ⌚ Error rates climb
- ⌚ Agent reasoning becomes brittle
- ⌚ 80% of enterprise APIs lack agent optimization



## Structured errors

Modify existing error handlers



# Bad error response

```
{  
  "error": "Something went wrong"  
}
```

Agent has no idea what to do next. Do this instead:

```
{  
  "error": {  
    "code": "PRODUCT_NOT_FOUND",  
    "message": "Product 'widget-xyz' does not exist",  
    "retryable": false,  
    "suggestions": {  
      "similar_products": "/products/search?q=widget"  
    }  
  }  
}
```



# Unified endpoints

New endpoint design



# Fragmented vs Unified

```
GET /products/{id}  
GET /inventory/{productId}  
GET /pricing/{productId}  
GET /shipping/{productId}  
GET /reviews/{productId}
```

5 round trips, 15KB+ data

VS.

```
GET /products/{productId}/purchase-context  
  
{  
  "product": { "name": "Widget Pro", "price": 99.99 },  
  "shipping": { "estimatedDelivery": "2026-02-07" },  
  "reviews": { "average": 4.7, "count": 324 }  
}
```

1 call, 2KB data

# Optimization techniques

Technique	Benefit
Field selection	Reduce context 50-70%
Batch operations	Reduce calls by 90%
Compression	Reduce payload 70-90%
Cursor pagination	$O(1)$ performance



# OpenAPI + HATEOAS

Enhance existing specs



# Semantic OpenAPI extensions

```
paths:  
  /products/{id}/availability:  
    get:  
      x-action: "CHECK_AVAILABILITY"  
      x-intent: "Determine if product can ship by date"  
      x-category: "inventory-management"
```

Agents understand WHEN to use this endpoint

# HATEOAS: Guided navigation

```
{  
  "productId": "12345",  
  "stock": 47,  
  "links": {  
    "add-to-cart": "/cart/add?product=12345",  
    "check-delivery": "/products/12345/delivery-options"  
  }  
}
```

Agents discover next steps dynamically




# Model Context Protocol

The emerging standard



# What is MCP?

Think of MCP like a USB-C port for AI applications. Just as USB-C provides a standardized way to connect electronic devices, MCP provides a standardized way to connect AI applications to external systems.



Tools – Functions agents can call. Resources – Data sources to query. Prompts – Guidance for when/how to use tools

# The honest downsides

Challenge	Reality
Separate product	Additional infrastructure
Context overload	50+ tools exhaust context
Duplication	Logic in two places
Immature ecosystem	Build custom tooling

# Ibexa DXP

Your AI-Ready Foundation

# Ibexa DXP

Your AI-Ready Foundation



# Why you have an advantage

Structured Content Model – Consistency enforced

Semantic Field Types – Rich text, relations, taxonomies

Multi-channel Output – Same content, different formats

API-First – REST and GraphQL built-in

Personalization Engine – Adapt for different "users"

## Ibexa API advantages

REST API – Already structured

GraphQL – Flexible queries

Content types – Natural API schemas

# Why you have an advantage


- ⌚ Structured Content Model – Consistency enforced
- ⌚ Semantic Field Types – Rich text, relations, taxonomies
- ⌚ Multi-channel Output – Same content, different formats
- ⌚ API-First – REST and GraphQL built-in
- ⌚ Personalization Engine – Adapt for different "users"

## Ibexa API advantages

- ⌚ REST API – Already structured
- ⌚ GraphQL – Flexible queries
- ⌚ Content types – Natural API schemas

# Emerging Standards

The future is being written now



# Emerging Standards

The future is being written now



# The “standards” landscape

Standard	Focus	Priority
Schema.org	Structured data	Now
Ilms.txt	AI guidance	Now
MCP	LLM-to-tool	Q2
UCP	E-commerce	Q1-Q2
NLWeb	Conversational	Q2-Q3
A2A/AP2	Negotiation	2027

# Universal Commerce Protocol (UCP)

Google + Shopify + Others

One protocol for all agent-store interactions

Agent discovers store →

Reads /.well-known/ucp manifest →

Queries products → Creates cart → Completes checkout

All via standardized protocol

# UCP capabilities

Capability	What it enables
Discovery	Agents find your store
Querying	Natural language → products
Transactions	Cart, checkout, payment
Post-Purchase	Tracking, returns, support

# Natural Language Web (NLWeb)

Conversational queries against your data

User: "Leather handbags under €150"



Agent → Your NLWeb endpoint



Your system parses, queries, returns JSON



Agent: "I found 2 options..."

# Testing with AI Agents

Validate your optimizations

The background of the slide features a dark, abstract design. It includes two large, semi-transparent white shapes on the left: a rounded rectangle at the top and a trapezoid below it. To the right, there are several dark, wavy, organic shapes that resemble stylized leaves or petals, creating a sense of depth and movement.

*You wouldn't launch without testing in a browser.  
Now you need to test with an AI agent too.*

# Manual testing: Ask the agent

Open ChatGPT, Claude, or Gemini with browsing enabled  
Then ask questions about your site (specify the URL).

- ⌚ *"What do you understand about this page?"*  
Validates: Structure, Schema.org, content clarity
- ⌚ *"Find product X on this website"*  
Validates: Navigation, search, product schema
- ⌚ *"What is the price and availability of X?"*  
Validates: Structured data accuracy
- ⌚ *"How would I contact support?"*  
Validates: Navigation clarity, CTA visibility

# Automated testing: Ask the agent

Claude Code (or others) agents can also automate this. And even use chromium to browse the site (puppeteer, agent-browser, etc.).

You can even create the testing plan with a coding agent.

Can be triggered on every deploy on the preview and production environments.


Track comprehension reports over time.

# Automated testing: Ask the agent

- Claude Code (or others) agents can also automate this. And even use chromium to browse the site (puppeteer, agent-browser, etc.).
- You can even create the testing plan with a coding agent.
- Can be triggered on every deploy on the preview and production environments.
- Track comprehension reports over time.

# Call to Action

What to do Monday morning



# Call to Action

What to do Monday morning



# Key takeaways

**You start to think about AI Agent Experience (AIX).**

**Research and follow the news...**

AI agents are real users – treat them as such

Optimization amplifies accessibility and SEO

Structured content is the foundation

Start simple: semantic HTML → Schema.org → llms.txt

New standards are emerging – watch and prepare

The background of the slide features a dark, abstract design. It includes several overlapping, rounded rectangular shapes in varying shades of dark grey and black. The overall effect is organic and modern, suggesting a digital or web-based theme.

*In the age of AI, the websites that win will be those that are as clear to machines as they are compelling to humans.*

*Fortunately, these goals are the same.*

# Agent-to-Agent (A2A)

Coming: Agents negotiating with agents

Consumer Agent: "€150 + free shipping?"

Retailer Agent: "Accepted"

No human intervention

Thank you  
Questions?

